

Indiana State Police Clandestine Laboratory Occurrence Report

This form complies with the statutory requirement set forth in IC 5-2-15-3.

Date: 10/15/2013

Address: 3235 N Hardy Lake Rd

Incident #: 13ISPC010377

Scottsburg, IN

County: Scott

47170

Type of Laboratory Seizure (check one)

- ☒ Operational Lab
☐ Chemical/Glassware/Equipment (only)
☐ Dumpsite (only)

Seizure Location (check all that apply)

- ☐ Residence ☐ Hotel/Motel
☒ Outbuilding ☐ Open – No Structure
☐ Vehicle ☐ Other: _____

Items Found: Location (bedroom, kitchen, open air, etc)

(check all that apply)

- ☒ One Pot or Birch Reaction(s): OutBuilding
☐ Red Phosphorous/Iodine Reaction(s): _____
☐ Hydrochloric Acid Gas Generator(s): _____
☒ Flammable Solvents: Xylene-Outbuilding Ph-7, Positive Solvent
☒ Water Reactive Metal (Lithium): Outbuilding-Energizer Batteries
☒ Anhydrous Ammonia: Compressed Cylinder 100 lb Drager +Ammonia PH13
☒ Corrosive Acid: Sulfuric Acid Ph-1 Liquid Fire Outbuilding
☐ Corrosive Base: _____
☐ Other (item and location): _____

Vehicle Information:

Owner:

Make:

VIN:

Model:

Year:

Child under age 18 discovered (check appropriate)

- ☐ Yes _____ (number present)
☒ No
☐ Children not present but evidence they reside
or visit often

Living conditions of home: ☐ clean ☒ disarray
☐ unclean

Estimated length of time manufacturing had been
occurring: _____

Additional Information: _____

This report has been faxed* or emailed to the following agencies that serve the location:

Fire Department City, Township or County Johnson Twp Fire

Fax: 812-752-8400

Health Department County: Scott Co

Fax: 812-752-6023

Department of Child Services Hotline: dcshotlinereports@dcs.in.gov Fax: 317-234-7595 or 317-234-7596

For further information regarding this methamphetamine laboratory, contact

Investigating Officer: Zach Smith

Phone 812-246-5424

*This form is to be faxed to the Fire Department, Health Department and/or Department of Child Services listed within 24 hours of scene processing.